


1. THE MANUFACTURER OF THE BLEACHERS MUST BE CERTIFIED BY THE CANADIAN WELDING BUREAU.
2. BLEACHERS TO BE IN ACCORDANCE WITH THE ONTARIO BUILDING CODE.
3. RECOMMENDED MANUFACTURER:
 W.H. REYNOLDS LTD. BLEACHERS,
 CAMBRIDGE ONTARIO
 OR APPROVED EQUIVALENT
4. SEAT BOARDS TO BE 2" x 10" x 12'0" CLEAR ANODIZED ALUMN-A-PLANK.
5. DOUBLE FOOT BOARDS 2" x 10" x 12'0" MILL FINISHED ALUMN-A-PLANK.
6. BLEACHER FRAMES SPACED @ 6'0" CENTERS (MAX.), HOT DIPPED GALVANIZED AFTER FABRICATION.
7. (2) CROSS BRACE SETS IN EVERY OTHER BAY.
8. ALL STEEL UNDERSTRUCTURE, HARDWARE AND FASTENERS SHALL BE HOT DIPPED GALVANIZED.
9. EACH BLEACHER FRAME MOUNTED ON RECYCLED PLASTIC 2" x 6" x 9'0" SKIDS/SLEEPERS.
10. GUARDS TO BE PROVIDED ON ENDS AND BACK, HOT DIPPED GALVANIZED AFTER FABRICATION AND SHALL CONFORM TO OBC REGULATIONS.
11. SHOP DRAWINGS ARE REQUIRED.



OPERATIONS SECTION

BLEACHER - MULTI-TIER, METAL

DWG. No.

AS-917

DATE

OCT. 2020

REVISION No.